

2024 - 2025 Product Guide Catalog

## **Automatic Power Management**



XD Series - High Amp Remote Battery Switching & Charge Management Relays







- Functional Replacement Options For Legacy Remote Switching Solutions From Blue Sea Systems And BEP Marine
- Triple XD Provides Compact Solution For Dual Battery Systems. Expandable To Three Or More Battery Banks Via Dual XD
- Available With Or Without Intuitive Front Facing Manual ON/OFF Override Knob
- Adjustable Voltage Sensing Relay (VSR) Open / Close Voltage Set Points For Flexibility Of Electrical System Response
- Optional Mechanical-Only Battery Switch Options Delivers The Balance Of Low Cost Manual Switching With High Amp VSRs

# Single/Dual/Triple Variations

- Flex 1 VSR/RELAY/LVD/TDR
- Flex 2 VSR/RELAY
   Compatible With Blue Sea Systems
   Control Schemes
- Flex 3 VSR/RELAY Compatible With BEP Control Schemes
- Flex L VSR/RELAY Lithium Battery Compatible



35-75% Reduction In Mounting Space & Product Weight Via Advanced Bi-Stable Solenoid Design And Multi-Relay Assemblies That Support Common Battery System Approaches



Bullet-Proof Construction: Sealed To IP67/IP6K9K - High Temperature Electronics And Materials Allow Mounting Anywhere - Stainless Steel Cable Lug Studs - Large 1/4-20 (M6) Mounting Holes



90-95% Less Off-State Current Compared To Competitive Products And Other System Solutions That Require Multiple Devices For Similar Functionality



Adaptive Charge Management For ACR/VSR Functionality Intelligently Eliminates Open/Close Cycling Common With Competitive Solutions When Deeply Discharged Auxiliary Batteries Are Connected To Engine Batteries



## **Automatic Power Management - Continued**



### **Advanced Automatic Charging Relays**



- Unique Triple Battery Model Reduces Install Space And Cost
- Fully Adjustable Open And Close Voltage Settings Maximize Flexibility
- Up To 160 Amp Capability Supports High Output Alternators
- Unique Triple Battery Model Reduces Install Space And Cost With 2x 80A Outputs

#### **TH Series Time Delay Relays**



- Prevents Dead Batteries From Add-On Equipment, Maximizing Operational Readiness
- Ultra Low Off State Current Draw (1.3mAh)
- Single and Dual Independent Output Models
- Optional Low Voltage Protection
- Protects Sensitive Electronics Via Under & Over Voltage Protection

TH Series Dual Battery Charge Manager



### PT Series Time Delay & On Delay Relays









- Combines An 80 A **Battery To Battery** Charge Manager With An 80 A Time Delay Relay In One Compact Device
- Ultra Low Off State Current Draw (1.3mAh)
- Fully Sealed With Integrated Connector

- Prevents Dead Batteries From Add-On Equipment
- Ultra Low Off State Current Draw (1.3mAh)
- 30 Amp Continuous Rating
- Optional Low Voltage Protection
- Models Include Timed Off Delay, Timed ON Delay, And One Shot

## **Power Distribution Modules**



- Reduces Space Used And Total Installed Cost, Combines Four Functions In One Product:
- Power Switching
- Circuit Protection
- Ground Return Collection
- Manual Override Kill Switch
- Ten 1-30 A Outputs & Three 1-45 A Outputs Support Low Amp And Medium Amp Circuits With One Solution
- Three Configurable Output Groups Can Be Set To 24/7, Ignition Switched, Or Time Delayed Off (15 Min to 10 Hr).
- Optional Low Voltage Protection For All Outputs
- Expandable Up To 26 Fused Outputs Via Optional Expansion Fuse Blocks






#### XD Series High Amp Remote Switching Relays

# Modular / Expandable XD Relay System Configurations





- Available With Or Without Intuitive Front Facing Manual Override Knob
- 45-75% Smaller Footprint Than Comparable Legacy Solutions
- Expand To Support Additional Batteries/Loads With Optional Busbars
   To Additional Single, Dual, Or Triple XD Relays
- Sealed To IP67/IP6K9K, High Temperature Electronics And Materials Allow Mounting Anywhere - Stainless Steel Terminal Studs.
- Wire For Wire Compatible With Blue Sea ML Remote Battery Switches.
- Input Studs Orientated For Easy Cable Assembly And Downward Routing
- Protective Cover With Integrated Label Recesses
- Large Mounting Holes Accept ½-20 / M6 Attachment Hardware

## TH Series 12V & 24V Sealed Relays

- 160A Single or 2x 80A Dual Outputs
- Simple & Robust
   Installation Sealed
   MX-150 Plug/Harness
   With 2 ft Control Wires
   Included Deutsch DT/AT
   Connector Option
- Integral Diode Flyback Protection



### Sealed 12V & 24V 180A Relays

- 12 Volt & 24 Volt Versions
- Delphi / Metripak Connector Compatible
- Engine Compartment Temperature Rated
- Drop In Replacement To TE Relay



for each additional battery & load

### Tab Mount 40A Form C Sealed Relay



- Provides Normally Open & Normally Closed Outputs
- Enhanced Vibration Protection
- Robust Drop In Replacement Ensures Compatibility With Legacy Electrical Systems.
- Reinforced Vertical Mounting Tab Withstands Wire And Cable Loading

#### Automotive 75A 12V Relays





- Automotive Grade Relay, Robust Construction
- Optional Dual-Diode Version Prevents Flyback Voltage To Control Circuits
- Bifurcated Silver Alloy Electrical Contacts
- 150 Amp Intermittent Rating (3 Seconds)

## Solenoids, Relays, Contactors - Continued



### 400 Amp High Voltage Hermetically Sealed Contactor





- 12 / 24 V Universal Control Voltage
- Hermetically Sealed With High Switching Cycle Rating
- Optional Auxiliary Contacts
   For Remote Status
   Indication
- Ignition Protected

### 100 Amp High Voltage Hermetically Sealed Contactor





- Hermetically Sealed and High Switching Cycle Rating
- Optional Auxiliary Contacts For Remote Status Indication
- Ignition Protected

### **Busbars & Insulators**

## Terminal Blocks

- 30A & 65A Variations
- 2, 4, 6, 8, 10, 12 Position Variations
- Stainless Steel Hardware And Tin Plated
- Each Screw Pair Is One Isolated Circuit



### **High Amp Inter-Connection Busbars**










- Connects Adjacent Product Terminals Together, Reducing Copper Cabling Labor Costs.
- Available In Dual, Triple, Quad, & Crossover Link Configurations

## Sealed Distribution & Ground Blocks















## Protective Terminal Insulators





- Protects Terminal Studs Against Inadvertent Short Circuits
- M6 (½") And M5 (#10) Sizes Available
- High Temp Material Construction
- Flexible Material Ensure Easy Application And Long Term Usability





### **Fuse & Circuit Breaker Blocks**




#### **New - MT Series Sealed Circuit Breaker / Fuse Block**

Marine Terminal (MT) Series Sealed Marine Fuse And Circuit Breaker Blocks Are An Industry First. With Standard Integrated Deutsch™ / Amphenol™ Connectors, These Innovative Solutions Support Highly Reliable Electrical Systems That Reduce Assembly Failures Associated With Traditional Screw Terminations.

- 12 Total Circuits In Single Or Split Input Variations (6+6, 3+9, Or 9+3)
- Supports ATM/MINI Fuses And/Or Type 3 ATM/MINI Circuit Breakers (Pg. 7)
- Low-Amp Ground Return Wires Internally Connect With High-Amp Ground Busbar
- Four (4) Spare Fuse Locations
- Seamlessly Interconnects With Other Power Management Devices (XD, Sealed MIDI) Via Optional Busbars (Pg. 4) For Expanded Electrical System Needs





- Six (6), Twelve (12), and Eighteen (18) Circuit Versions
- Integral Blown Fuse LED Indicators
- Optional Twelve (12) Circuit Ground Return
- Modular Design Enables Easy Expansion
- Tin-Plated Copper And Stainless Steel Self-Locking Hardware

#### **New - RT Series Single** Row ATO / ATC **Fuse Blocks**



- 4 And 8 Circuit Versions
- Cover Accepts Circuit Identification Labels
- Compact Footprint
- Tin-Plated Copper And Stainless Steel Self-Locking Hardware

New - RT Series Independent Circuit ATO /ATC **Fuse Block** 





- Six Independent Inputs/Outputs.
- Protective Cover With Label Recesses
- Tin-Plated Copper And Stainless Steel Self-Locking Hardware

### New - MIDI / AMI Sealed Fuse Block



- Stainless Steel Self-Locking Hardware

Link Busbars (Pg. 4)

- M6 (½") Or M8 (5/16") Output Variations Available Connects To Other Power Management Devices Via Optional
- Cover Label With Space For Identifying Load Circuits

### New - MIDI & MEGA **Fuse Holders**



- MIDI Version Capable Of Adjacent Stacking, Creating A Compact Solution
- Marine Rated Construction w/Stainless Steel Hardware
- Protective Cover Prevents Electrical Shorts

#### **CT Series Fuse Block**





- 200 Amp Total Current, Eight (8) Low Amp ATO/ATC Outputs, Two (2) High Amp Low Profile J-Case
- MX-150 Plug & Play Connectors For Low-Amp Outputs
- Compact Footprint
- Label Recesses On Protective Cover For Circuit Identification

### **Fuse & Circuit Breaker Blocks - Continued**

### **VEGIS**

#### **MRBF Fuse Blocks**





- Compact Fuse Holder Provides High Current (30 300 Amp)
   Protection In Tight Space Constraints
- Senselessly Connects To Battery Posts, XD Relay Input/Output Terminals, Or High Amp Distribution Busbars
- Ignition Protected When Used With MRBF Terminal Fuses (Pg. 7)
- Insulating Cap Prevents Accidental Electrical Contact

#### **ATM/MINI Fuse Blocks**

- Available In Single Or Dual (Split) Input Variations
- Compact Solution
   Combines Circuit
   Protection & Ground
   Return In One Installer
   Friendly Device
- Expands PDM-14 For Added Circuit Protection
- 200 Amp Total Continous Current



### **Circuit Breakers & Fuses**

### **87 Series Circuit Breakers**





- Sealed Against Dust & Water
- Surface & Panel Mount Options Available
- 25 250 Amp Continuous Current Rating Options
- Ignition Protected

#### **85 Series Circuit Breakers**



- Sealed Against Dust & Water
- Surface / Panel Mount Options Available
- 25 250 Amp Continuous Current Rating Options
- Ignition Protected

### New - Short Stop Marine Grade Circuit Breakers



- 5 50 Amp Continuous Current Rating Options
- Harsh Environment Design Ideal For Marine & Vehicle Electrical Systems
- Locking Nuts For Withstanding Vibration





### **Circuit Breakers & Fuses - Continued**



New - ATM / MINI Circuit Breakers




New - Mini Breaker Disconnect **Switches** 



**New - MD Series Circuit Breakers** 





- 5 30 Amp Rating Options
- Type III Resettable
- Color Coded For Easy ID Of Amperage Rating
- Compatible With MT Series Fuse/CB Blocks



- Circuit Breaker With Rotary On/Off Switch
- IP66 Weatherproof Design
- 20 60 Amp Rating Options
- Type III Trip Free Design



- Sealed Against Dust & Water
- Compact Footprint
- 15 60 Amp Rating Options
- Trip Free Design

**New - MRBF Fuses** 





- 30-300 Amp Ranges Available
- Transparent Easy Visual Of Fuse Status
- Ignition Protected SAE/J1171 ISO8846
- High Interrupt Rating Satisfies ABYC Requirements For DC Main Circuit Protection On Large Battery Banks
- Color Coded For Easy ID Of Amperage Rating



## **Manual Battery Disconnect Solutions**

**Add A Battery XD Series** With Mechanical Switches



- Combines High Amp Voltage Sensing Relay w/Mechanical Battery Switches
- High Visibility Knobs Provide Easy Visual Of Switch Status
- Surface Mount Form Factor Simplifies Mounting And Cable Assembly
- Protective Terminal Cover Included
- Ignition Protected
- IP67 Ingress Protection



**Add A Battery Expansion** w/Remote VSR & 1 (One)

**Mechanical Only Switch** 

### XD Single - 500 A Heavy Duty **Battery Switch/Mechanical Contactor**



- IP67 Ingress Protection
- M10 (3/8") Cable Studs For **Heavy Duty Connections**
- Surface Mount Form Factor Simplifies Mounting And Cable Assembly
- Included





Egis Mobile Electric 3135 Mercer Ave, Suite 102 Bellingham, WA 98225 +1-360-768-1211 sales@egismobile.com egismobile.com