




Advanced Power Distribution Modules



#2601B
PDM-14
W/Kill Switch



#2602B
PDM-14
w/o Kill Switch

Cover
Included

PDM-14 With and Without Kill Switch

Reduces Space Used and Total Installed Cost: Up to Four (4) Separate Functions in One Product. Power Switching, Circuit Protection, Ground Return Collection, Kill Switch

Ten 1-30 A Outputs Plus Three Flex 1-45 A Outputs Allow Protection of All Low Ampere and Medium Ampere Incremental Circuits Within One Complete Solution

Three Configurable Output Groups Can Be Set to 24/7, Ignition Switched, or Time Delayed Off (15 Min to 10 Hr)

Expandable Up to 26 Fused Outputs

Battery Management And Protection

Time Delay Relays

Voltage or External Input / Ignition Based Load Shedding, Fully Sealed, Programmable, Compact

30A, 160A, or 200A. 12V or 24V
Single and Dual Output Options



#5601B
30A TDR



#7610B
Single Output
ACR



#7614B
Dual Battery
Charge Manager



#7612B
Dual Output
ACR

Advanced Automatic Charge Relays

Fully Adjustable Open and Close Voltage Settings Maximize Flexibility

Supports Multiple Engines Via Start/Engine Isolation, Start Assist Feature

Up to 160 Amp Capability Supports High Output Alternators

Unique Triple Battery Model Reduces Install Space and Cost



#6001-3001
200A TDR


Circuit Protection

Fuse Blocks

Single or Dual Input Mini/ATM Fuse Blocks Offer 3 High Amp Capable Outputs (1-50A) & 10 Low Amp Outputs (1-30A), Plus Ground Return

CT Series Fuse Block Utilizes MX-150 Connections for Eight (8) ATO/ATC Fuse Outputs (1-25A) Plus Two (2) LP J Case Fuse Outputs (20-60A)

RT Series of Fuse Blocks Provide 6 - 18 Output Modular Expandable Design, Blown Fuse LED Indication, And Optional Ground Return Block



#8033B
Dual Input



#5015B
CT Series



RT Series



#4709-250

#4706-080

Circuit Breakers - Surface / Panel Mount

Sealed Against Dust & Water

Designed for Electrical / Manual Switching Endurance

25 - 250 Amp Continuous Current Rating Options

Power Switching ~ Relays/Solenoids/Contactors

Remote Relay Switches

75A - 160A, Single/Dual Output, 12V/24V

Deutsch DT/AT and Amp SuperSeal Connector Options

Ultra Low Off-State Power Draw



#7422B
Advanced
2X80A Relay



#7421B
Advanced
160A Relay



#90187
180A Relay



#901488
75A Relay



#7022B
250/400A



#7024B
100A

High Voltage Solenoids / Contactors

Two Current Rating Sizes: 100 Amp & 250/400 Amp

Support 12 or 24 V Control Voltage Applications

Hermetically Sealed and High Switching Cycle Rating

Optional Auxiliary Contacts For Remote Status Indication

Power Distribution and Ground Return Solutions



Sealed Distribution Blocks

Sealed MX-150 (USCAR) Connector ensures low amp connections are protected from moisture and corrosion.

Replaces Unsealed Exposed Interconnection Methods such as barrel butt splices and terminal strips

1-4 Sets Of Low Amperage Circuits and 3-6 Circuits connected to high amp stainless M6 terminal


Compact & Flexible Solution mounts vertically or horizontally to optimize installation

Replace Exposed Bus Bars and Terminal Blocks with OEM quality sealed connections

Ground Return Solutions

RT Series 12 Terminal Ground Block offers easy ground integration with RT series fuse blocks, can also be used on its own

CT Series Sealed 12 Position Ground Block offers ground return protection by containing critical grounds within one sealed, robust and easy to install device. 200 Amp Max Current, M8 I/O Stud




#2012B
CT Series



#8030B
RT Series



Wire Harness Solutions



Contact Us For Custom Wire Length & Designation Options!

Standard Wire Harness Part Numbers

2613-20	PDM + Harness - 13 Output x 20 ft W/Kill Switch
2713-20	PDM + Harness - 13 Output x 20 ft
2626-20	PDM + Harness - 26 Output x 20 ft W/Kill Switch
2726-20	PDM + Harness - 26 Output x 20 ft



Egis Mobile Electric
3135 Mercer Ave, Suite 102
Bellingham, WA 98225
+1.360.768.1211
sales@egismobile.com